

# Hard Oil 240

## For the open-pored impregnation of all absorbent interior surfaces.

#### **Application range:**

For the open-pored impregnation of all absorbent interior surfaces, like wood, cork, non-glazed clay tiles, especially for surfaces exposed to wear and tear. The wear resistance of the surface can be enhanced by a finish with Hard Oil special 245.

#### **Technical qualities:**

Water repellent, impregnation with high penetrating power, remains elastic. Water vapour permeable. Migration behaviour tested according to DIN EN 71, part 3. Resistant against saliva and perspiration according to German Industrial Standard DIN 53160.

### Colour:

002 Transparent, 022 Pine, 062 Walnut, 092 Chestnut, 101 Double White, 142 Amber, 202 White, 212 Gray, 307 Black.

Pale and absorbent surfaces will dry slightly darker. Woodwork will react differently in colour according to the nature of the wood and the structure of the wood grain.

#### **Full declaration:**

Linseed oil, wood oil, ricin oil, natural resin ester, isoparaffins, mineral pigments (except colourless), drying agents. The VOC content of this product is 440 g/l. EU limit value max 700 g/l (class "f" 2010).

## **Application:**

Apply at least 2 coats by brush, roller, dipping or spraying at temperatures above 15 °C. The product can also be applied by the so called wet-in wet application technique: the second coat can be applied after 20-30 minutes. Important note: Remove the supernatants carefully after 30 minutes, independently after the last coating.

#### **Drying time:**

Dry to touch after approx. 10 - 12 hours. Ready to walk over and ready for a second coating after approx. 16 - 24 hours. It is essential to provide adequate ventilation during the drying process!

## **Container sizes and coverage:**

Approx. 60 - 80 ml/m<sup>2</sup> per coat depending on the absorbency of the surface.

Sizes	Coverage*	
0,251	4 m <sup>2</sup>	
0,751	12 m²	
2,51	40 m <sup>2</sup>	
101	160 m <sup>2</sup>	
301	480 m <sup>2</sup>	

<sup>\*</sup> Coverage per coat

## Storage:

Originally sealed at least 2 years stable. Store dry, cool and sealed. Protect against freezing.



#### Disposal:

According to locally regulated laws. European Waste Catalogue (EWC) 08 01 11.

#### Cleaning:

LEINOS Thinner 200. Product is adjusted ready for application.

## **Hazard statements:**

Contains: Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics. May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

Safety data sheet available on request.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### GHS08



#### **Precautionary statements:**

Keep out of reach of children.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

Avoid release to the environment.

Dispose of contents/container according to local regulations.

Always be sure to store cleaning cloth, polishing pads, sponges, etc. that are still wet or even slightly moist with product in an airtight metal container or in water and dispose, as there is a danger of spontaneous combustion caused by the plant oil content in the product.

The product alone will not undergo spontaneous combustion.

A typical smell may arise due to the natural raw materials.

During sanding wear mask against respirable dust.

To achieve optimum results, please refer to the Technical Data Sheets of all products used. The information is based on our current knowledge and experience. However, they do not constitute a guarantee of product properties and do not establish a contractual legal relationship. With the publication of this Technical Data Sheet, all previous information becomes invalid.

Status: September 1, 2025

LEINOS • Reincke Naturfarben GmbH • Industriestraße 3 • 21640 Horneburg, Germany Tel. +49 (0) 41 63 - 86 74 7-0 • www.LEINOS.de • info@LEINOS.de